



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Lawrence County are stored on microfilm Reel 1903 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor

T 4 N


R 1 W



Township N. IV, North of the Base Line, Range N. I West of 2nd Meridian. Surveyed by Arthur Henrie.

©Dun 11-11-11

Meanders of the Right Bank
of White River in
T4N R1W.



Comp. with the original.

Meanders of the East Fork of White
River, from a post in W. boundary of
Sec 6, T4. N. R1W. up stream right bank

S49 E	3.00	in Sec. 6, T4. N. R1W
S31 E	12.50	
S28 E	11.50	
S31 E	6.00	
S35 E	18.50	
S28 E	16.00	
S21 E	8.00	
S39 E	4.50	
S32 E	7.50	line between Sec. 6 & 7

S61 E	16.00	in Sec. 7, T4. N. R1W
S73 E	8.00	
S82 E	16.00	
East	4.05	line betw. Sec. 7 & 8

T4 N R1 W
Meanders of Right bank Continued

N83 E	13.00	in Sec. 8, T4 N. R1 W
N60 E	9.50	
N54 E	8.67	line between Sec. 5 & 8

N37 E	10.00	in Sec. 5, T4 N. R1 W
N21 E	10.50	
N11 E	13.00	
N18 E	17.00	
N16 E	6.00	
N11 E	19.50	
N11 W	8.32	to post in N. boundary of T4 N. R1 W

From post in N. boundary		
S26 E	8.00	in Sec. 3, T4 N. R1 W
S32 E	15.50	
S48 E	9.50	

T4 N R1 W
Meanders of Right bank Continued

S76 E	6.50	
N79 E	9.00	
N70 E	7.00	
N77 E	3.60	line between Sec. 2 & 3

N72 E	7.50	in Sec. 2, T4 N. R1 W
N80 E	6.50	
N77 E	11.00	
N83 E	10.50	
S89 E	4.00	
S80 E	6.00	
S72 E	9.50	
S47 E	6.00	
S29 E	6.00	
S22 E	14.50	at Brook 25th wide
S22 E	14.30	

L & N R 1 W

Meandering Right bank Continued

S29 E 18.90 line betw. Sec. 1 & 2

S40 E 10.00 in Sec. 12, L & N R 1 W

S51 E 14.50

S60 E 10.00

S70 E 12.50

S76 E 14.50

N53 E 7.50

N30 E 9.00

N27 E 10.00

N33 E 14.00

N42 E 8.70 to post in the East

boundary L & N R 1 W

L & N R 1 W

Meandering of the Left bank W. River

From the Sycamore on the
Range line betw. Range 1 & 2 W

S30 E 23.50 in Sec. 6, L & N R 1 W

S36 E 19.00

S24 E 20.00 line between Sec. 6 & 7

S56 E 27.00 in Sec. 7, L & N R 1 W

S69 E 17.20

N89 E 11.20 line between Sec. 7 & 8

N89 E 12.00 in Sec. 8, L & N R 1 W

N58 E 14.30

N44 E 17.00 line between Sec. 5 & 8

N24 E 22.30 in Sec. 5.

N14 E 48.30

N10 W 13.50 post in N. boundary

T4N R1W
Meander of Left bank Continued

From post in N. boundary

S34 E 36.00 in Sec 3, brook 25th.

S67 E 16.00

N78 E 18.50 line between Sec. 2 & 3

S81 E 14.50 in Sec. 2, T4N, R1W

S23 E 51.00

S35 E 16.50 line betw. Sec. 11 & 12

*The intersection of the line between
 Sec. 2 & 11 omitted*

S56 E 27.50 in Sec. 12, T4N, R1W

S75 E 33.50

N47 E 17.00

N23 E 22.00

*N45 E 5.20 Corner on the
 2^d Principal Meridian*

Township No 4. North of Range No 1 West of the 2nd Mer. Ind.

South Bound.

- | | |
|-------|---|
| East | On a Random line On the South Boundary of sec. 31.
T. 4. N. R. 1 W. |
| 40.00 | Set the tripot for a post. |
| 80.00 | Set a tripot post on the Random line for the cor. of sec. 31 & 32.
Land good for farming. My Spec. |
| East | On a Random line On the South B. of sec. 32.
T. 4. N. R. 1 W. |
| 40.00 | Set a tripot for a post. |
| 80.00 | Set a tripot post for the cor. of sec. 32 & 33.
Land very brushy timber Oak & Hickory |
| East | On a Random line On the South B. of sec. 33.
T. 4. N. R. 1 W. |
| 40.00 | Set the tripot for a post. |
| 80.00 | Set a tripot post for the cor. of sec. 33 & 34.
Land the same. |
| East | On a Random line On the South Boundary of sec. 34.
T. 4. N. R. 1 W. |
| 40.00 | Set a tripot for a post. |
| 80.00 | " " " post on the Random line for the cor. of sec. 34 & 35.
Land the same. Many Sink Holes. |
| East | On a Random line On the South B. of sec. 35.
T. 4. N. R. 1 W. |
| 40.00 | Set a tripot for a post. |
| 80.00 | Set a tripot post for the cor. of sec. 35 & 36.
Land the same. |
| East | On a Random line On the South Boundary of sec. 36.
T. 4. N. R. 1 W. |

T. A. H. A. R. A. 1779th Mo. Ind.

4000	Set the temp. 1/2 sup. at
8000	Intersect the Range line at the foot of sec. 16. 31. 36. T. 4. N. R. 1. E. 11 N. Under the same.
West	On the true line On the South Boundary of sec. 36. T. 4. N. R. 1. W. 11. 7. 00'
4000	Set the temp. 1/2 sup. on the true line from which, Hick 110 in diam. beams. N 25 E. 20 lbs dist; 70 Dogwood 5 " " " 45 N. 20 " "
8000	Set the temp. 1/2 sup. on the true line for the cor. of sec. 35 & 36 from which, B Oak. 18 in diam. beams. S 69 W. 7 lbs dist under a Maple. 10 " " " S 67 E. 28 " "
West	On the true line On the South Boundary of sec. 35. T. 4. N. R. 1. W.
4000	Set the temp. 1/2 sup. on the true line from which, Hick 110 in diam. beams. West 3 lbs dist;
8000	Set the temp. 1/2 sup. for the cor. of sec. 34 & 35 from which, Hick 8 in diam. beams. N 69 E. 11 lbs dist; 20 B Walnut 10 " " " S 62 W. 7 " "
West	On the true line On the South Boundary of sec. 34. T. 4. N. R. 1. W.
4000	Set the temp. 1/2 sup. on the true line from which, W Oak. 24 in diam. beams. N 65 E. 35 lbs dist; 20 B Oak. 24 " " " S 11 W. 14 " "
8000	Set the temp. 1/2 sup. on the true line for the cor. of sec. 33 & 34 from which, Hick 110 in diam. beams. West 58 lbs dist
West	On the true line On the South Boundary of sec. 33. T. 4. N. R. 1. W.
4000	Set the temp. 1/2 sup. on the true line from which,

T. A. H. A. R. A. 1779th Mo. Ind.

West	On the true line On the South Boundary of sec. 32. T. 4. N. R. 1. W.
4000	Set the temp. 1/2 sup. on the true line from which, Hick 10 in diam. beams. N 76 W. 5 lbs dist; 20 Cumm. 6 " " " S 70 E. 12 " "
8000	Set the temp. 1/2 sup. on the true line for the cor. of sec. 31 & 32 from which, Hick 112 in diam. beams. S 32 W. 9 lbs dist under a Dogwood 6 " " " N 3 E. 10 " "
West	On the true line On the South Boundary of sec. 31. T. 4. N. R. 1. W.
4000	Set the temp. 1/2 sup. on the true line from which, W Oak 12 in diam. beams. S 38 W. 18 lbs dist; 20
8000	Set the cor. of sec. 1-6. 31 & 36. T. 3 & 4. N. R. 1 & 2 W.
East Boundary. 1. 6. 36' E. 29'	
North	On the East Boundary of sec. 36. T. 4. N. R. 1. W.
4000	Set the 1/2 sup. from which, B Oak 20 in diam. beams. S 35 E. 25 lbs dist; 20 Hick 10 " " " N 25 E. 8 " "
8000	Set a post for the cor. of sec. 25 & 36 from which, Hick 15 in diam. beams. S 27 E. 24 lbs dist; 20 H. 6 " " " S 28 W. 12 " "
Lined out Timber Oak, Hickory &c. Under thin soil. very brushy	
North	On the East Boundary of sec. 25 T. 4. N. R. 1. W.

T. N. 4 North of Range No 177 2nd Mer. Ind.

40.00	Set a 7/8 supert. from which, Nicky 10 in dia. beam S 1/2 E. 22 the dist. 10, Do 11 " " " N 32 W 33. "
80.00	Set a post for the cor. of sec. 24 & 25 from which, Nicky 8 in dia. beam S 31 E. 34 the dist. 10, Poplar 8 " " " N 49 E. 19. " Lands the same.
North	On the East Boundary of sec. 21. T. 4 N. R. 1 W.
20.00	Set a 7/8 oak 15 in dia. stands in the line.
40.00	Set a 7/8 supert. from which a Saw 10 in dia. beam S 38 W 35 the dist. 10, Do 10 " " " N 83 E. 35 " "
70.15	Set a 7/8 oak 12 in dia. in the line.
80.00	Set a post for the cor. of sec. 13 & 24 from which, Oak 19 in dia. beam S 44 E. 8 the dist. 10, Do 19 " " " N 23 W 26. " Lands the same.
North	On the East Boundary of sec. 13. T. 4 N. R. 1 W.
5.00	Set a Brook 20 lbs. mid. corner E.
20.20	" " Walnut 20 in dia. in the line.
30.00	" " Brook 10 lbs. mid. corner E.
40.00	Set a 7/8 supert. from which a Eden 10 in dia. beam S 30 W. 4 the dist. 10, Sugar 12 " " " N 7 E. 34 " "
44.25	Set a Poplar 20 in dia. stands in the line.
80.00	Set a post for the cor. of sec. 12 & 13 from which, Oak 24 in dia. beam S 1/2 E. 34 the dist. 10, Nicky 12 " " " N 6 W 14. " Lands the same.
North	On the East Boundary of sec. 13. T. 4 N. R. 1 W.

T. N. 4 N. R. No 177 2nd Mer. Ind.

40.00	Set a 7/8 supert. from which, Sugar 10 in dia. beam S 3 E. 17 the dist. 10, Do 10 " " " N 1 E. 21. "
80.00	Set a post for the cor. of sec. 17 & 25 from which, Buck 20 in dia. beam S 52 W. 10 the dist. 10, Do 20 " " " N 21 W 22. " Lands good; Timber Buck, Poplar, Oak & Hickory
North	On the East Boundary of sec. 1. T. 4 N. R. 1 W.
1.50	Set a post on the Left Bank of the East Branch of White River for the cor. of sec. 1. from which, Buck 10 in dia. beam S 54 E. 10 the dist. 10, Sugar 10 " " " S 49 W 10. "
13.50	Set a post on the Right Bank of the River for the cor. of grad. sec. 1. from which, Oak 20 in dia. beam S 53 W. 21 the dist. 10, Sugar 10 " " " N 32 W 15. "
40.00	Set a 7/8 supert. from which, Buck 10 in dia. beam S 21 E. 16 the dist. 10, Do 10 " " " S 82 E. 12. "
80.00	Set a post for the cor. of T. 4 & 5 N. R. 1 E. 1 W. from which, Sugar 12 in dia. beam S 6 E. 31 the dist. as above Do 10 " " " S 61 W 18. " Lands the same.
North Boundary	
West	On a Random line On the South Boundary of sec. 36 T. 5 N. R. 1 W.
10.00	Set a Brook 12 lbs. mid. corner S.
40.00	Set a 7/8 supert. post.
80.00	" " post for the cor. of sec. 35 & 36. Lands selling Timber Buck, Oak & Sugar.

T. A. H. R. No 177th and 178th Ind.

West	On a Random line On the South Boundary of sec. 35. T. 5 N. R. 17 W.
40.00	Set a temp. post to support.
55.50	To opening corner S.
80.00	Set a temp. post on the Random line for the ca of sec 34 & 35. Same as the same.
West	On a Random line On the South Boundary of sec. 34 T. 5 N. R. 17 W.
40.00	Set a temp. post to support.
44.00	To White River.
80.00	Set a temp. post for the ca of sec. 33 & 34 Same as the same; Timber Oak & Hickory, some Poplar.
West	On a Random line On the South Boundary of sec. 33 T. 5 N. R. 17 W.
40.00	Set a temp. post to support.
80.00	" " " post for the ca of sec. 32 & 33. Same as the same.
West	On a Random line On the South Boundary of sec. 32 T. 5 N. R. 17 W.
25.00	To White River
40.00	Set a temp. post to support.
80.00	Set a " post on the Random line for the ca of sec 31 & 32 Same as the same; Timber Birch, Poplar, My Spine.
West	On a Random line On the South Boundary of sec. 31 T. 5 N. R. 17 W.
40.00	Set a temp. post to support.
85.65	Intersect the Range line North of the ca of T. 415. A. R. 17 W. Same as the same.

T. A. H. R. No 177th and 178th Ind.

East	On the line On the South Boundary of sec. 31. T. 5 N. R. 17 W. r. 7° 20'
45.68	Set the temp. post to support on the line from which Beck. 10 in dia. here. S 87° 11' 19" the dist. 20, Loc. 10 " " " A 86° 11' 29" "
85.65	Set the temp. post on the line for the ca of sec 31 & 32 from which, Beck. 10 in dia. here. S 85° 13' the dist. 20, Loc. 12 " " " S 14° 11' " "
East	On the line On the South Boundary of sec. 32 T. 5 N. R. 17 W.
40.00	Set the temp. post to support on the line from which, Beck. 10 in dia. here. A 83° E 12' the dist. 20, Loc. 20 " " " S 32° E 23' "
48.11	Set a post on the Right Bank of White River for the ca of Grad. Sec. 32 from which, Poplar. 8 in dia. here. S 15° E 5' the dist.
55.00	Set a post on the Left Bank of the White River for the ca of Grad. Sec. 32. from which, Mulberry 10 in dia. here. S 10° E 19' the dist. 20, Ash. 18 " " " A 19° E 12' "
80.00	Set the temp. post on the line for the ca of Sec 32 & 33 from which, Beck. 12 in dia. here. East 45° the dist and a Loc. 18 " " " A 57° 22' "
East	On the line On the South Boundary of sec. 33 T. 5 N. R. 17 W.
40.00	Set a temp. post to support on the line from which, Hickory 8 in dia. here. A 40° E 28' the dist. 20, Lyn. 18 " " " A 37° 11' 12' "
80.00	Set the temp. post on the line for the ca of Sec 33 & 34 from which, Logwood 7 in dia. here. S 85° E 25' the dist and a Loc. 7 " " " A 53° 11' 13' "

T. A. 4. N. R. No 17 N^o 2nd M^o. Ind^o.

East	On the true line On the South Boundary of sec. 34 T. 5 N. R. 17 W.
*36.00	Set a post on the Right Bank of White River for the cor. of sec. 34 from which, Poplar 6 in dia ^r beam N 80 W 15 the dist. 10, Oak 10 " " " " S 10 E 16 " "
*27.00	Set a post on the Left Bank of White River for the cor. of sec. 34 from which, Oak 10 in dia ^r beam N 21 W 10 the dist. 8, Do 6 " " " " S 60 E 10 " "
40.00	Set the trip st post on the true line from which, Beck 12 in dia ^r beam N 65 E 10 the dist. 10, Do 6 " " " " S 57 W 12 " "
80.00	Set the trip st post on the true line for the cor of sec. 34 & 35 from which, Dogwood 6 in dia ^r beam N 68 E 17 the dist. and oak Beck 10 " " " " N 48 W 12 " "

East	On a true line On the South Boundary of sec. 35. T. 5 N. R. 17 W.
40.00	Set a trip st post on the true line from which, Poplar 10 in dia ^r beam S 52 E 19 the dist. 10, Beck 12 " " " " N 10 E 16 " "
80.00	Set the trip st post on the true line for the cor of sec. 35 & 36 from which, Gum 10 in dia ^r beam S 35 E 21 the dist. and oak Do 8 " " " " S 76 W 16 " "

East	On a true line On the South Boundary of sec. 36. T. 5 N. R. 17 W.
40.00	Set the trip st post on the true line from which, Dogwood 9 in dia ^r beam N 71 E 19 the dist. 10, Oak 20 " " " " S 11 W 26 " "
80.00	Set the cor of S. 4 & 5 N. R. 16 & 17 W.

T. A. 4. N. R. No 17 N^o 2nd M^o. Ind^o. 107

West Boundary

North	On the East Boundary of sec. 36 T. 4 N. R. 27 W.
40.00	Set a post on a very high hill.
80.00	Set a post for the cor of sec. 25 & 36 from which, Beck 6 in dia ^r beam N 65 W 15 the dist. 10, Oak 10 " " " " N 44 E 14 " "
	Land very hilly and bushy. Timber Dogwood, Oak, Hickory.
North	On the East Boundary of sec. 25 T. 4 N. R. 27 W.
3.75	Set a post 10 in dia ^r in the line.
40.00	Set a post from which, Oak 10 in dia ^r beam S 36 E 20 the dist. 10, Beck " " " " N 18 W 11 " "
80.00	Set a post for the cor of sec. 24 & 25 from which, Oak 12 in dia ^r beam S 24 W 35 the dist. 10, Sugar 10 " " " " South 10 " "
	Land good for farming. Timber Sugar, Poplar, Oak &c. No Spruce.
North	On the East Boundary of sec. 24 T. 4 N. R. 27 W.
6.90	Set a post 20 in dia ^r in the line.
40.00	Set a post from which, Hackberry 8 in dia ^r beam S 35 W 27 the dist. 10, Beck 12 " " " " N 36 W 21 " "
80.00	Set a post for the cor of sec. 23 & 24 from which, Sugar 10 in dia ^r beam S 61 W 25 the dist. 10, Beck 10 " " " " N 51 W 15 " "
	Land the same.
North	On the East Boundary of sec. 13 T. 4 N. R. 27 W.
40.00	Set a post from which, Beck 15 in dia ^r beam N 8 E 40 the dist. 10,

T. A. 4. A. R. A. 1st W. D. M. S. J. A. 4. A. R. A. 1st W. D. M. S. J. A. 4. A. R. A. 1st W. D. M. S. J.

80.00	Yup. 20 in dist. from S. 11 N. 15 the dist. 1 Set a post for the cor of sec. 12 & 13 from which, Buck 10 in dist. from S. 11 N. 26 the dist. 1 Elev. 12 " " S. 11 N. 30 " " Sound the same.
North 40.00	On the East Boundary of sec. 12. T. 4. N. R. 1 W. Set a post from which, N. Walnut 10 in dist. from S. 11 N. 27 the dist. 1 Do. 10 " " " S. 11 N. 15 " " 80.00 Set a post for the cor of sec. 11 & 12 from which, Buck 6 in dist. from S. 11 N. 13 the dist. 1 Elev. 20 " " S. 11 N. 19 " " Sound the same.
North 40.00	On the East Boundary of sec. 1. T. 4. N. R. 2 W. Set a post from which, Buck 6 in dist. from S. 11 N. 5 the dist. 1 Do. 6 " " " S. 11 N. 27 " " 63.50 Aycamaw. 23 in dist. stands on the Left Bank of White River for the cor of sec. 1. 42.95 A Buck 10 in dist. stands on the Right Bank of White River for the cor of sec. 1. 80.00 Set a post for the cor of T. 4 N. 15 R. 1 W. from which, Buck 20 in dist. from S. 11 N. 37 the dist. 1 Do. 6 " " " S. 11 N. 11 " " Carried by Arthur Henric. D. S.

Subdivisions

North 40.00	Between Sec. 25 & 26. T. 4. N. R. 1 W. Set a post from which, Buck 10 in dist. from S. 11 N. 28 the dist. 1
----------------	---

T. A. 4. A. R. A. 1st W. D. M. S. J. A. 4. A. R. A. 1st W. D. M. S. J.

75.05	Dogwood in dist. from S. 11 N. 19 the dist. 1 To S. 11 N. 20 in dist. in the line.
80.00	Set a post for the cor of sec. 25, 26, 35 & 36 from which, W. Oak 12 in dist. from S. 11 N. 21 the dist. 1 Do. 12 " " " S. 11 N. 23 " " Sound the same. Timber Oak & Buck.
East 40.00	On a Random line between Sec. 25 & 36. T. 4. N. R. 1 W. Set a post from which, 80.40 Intersect the East Boundary South of the cor of sec. 25 & 36 Sound the same.
West 40.20	On the line between Sec. 25 & 36. T. 4. N. R. 1 W. Set the tripot post at the cor. dist. on the line from which, W. Oak 12 in dist. from S. 11 N. 23 the dist. 1 Do. 12 " " " S. 11 N. 20 " " 80.40 To the post on sec. 25, 26, 35 & 36
North 40.00	Between Sec. 25 & 26. T. 4. N. R. 1 W. Set a post from which, W. Oak 10 in dist. from S. 11 N. 43 the dist. 1 80.00 Set a post for the cor of sec. 23, 24, 25 & 26 from which, W. Oak 10 in dist. from S. 11 N. 27 the dist. 1 Do. 20 " " " S. 11 N. 22 " " Set this and very bushy bounded by trees & vines.
East 40.00	On a Random line between Sec. 24 & 25. T. 4. N. R. 1 W. Set a tripot post 80.10 Intersect the East Boundary 10 lbs. North of the post on Sec. 24 & 25. Sound very bushy Timber Oak & Buck.
West 40.05	Between Sec. 24 & 25. On a line line. T. 4. N. R. 1 W. Set the tripot post at the cor. dist. on the line line.

J. A. A. R. A. 172nd Mo. Ind.

North	Between Sec. 34 & 35. J. A. R. 177.
40.00	Set a post from which, Dogwood 6 in diam. 26 E. 24 lbs dist. to, W Oak. 12 " " 26 E. 35 "
80.00	Set a post for the corner 26, 27, 34 & 35 from which, W Oak. 40 in diam. 26 N. 30 lbs dist. to, Nick. 20 " " 24 E. 19 "
	Land is hilly timber Oak Hick. & very brushy
East	On a Random line between Sec. 26 & 35. J. A. R. 177
40.00	Set a trip for a post.
80.00	Intersect the A. S. line South of the post cap of Sec. 35 36, 25 & 26. Land is the same.
West	On the line between Sec. 26 & 35. J. A. R. 177.
40.00	Set the trip for a post at the ar. dist. on the line line from which, Nick 26 in diam. 22 E. 8 lbs dist.
80.00	under W Oak. 20 " " 27 N. 26 "
	Set the corner 26, 27, 34 & 35.
North	Between Sec. 26 & 27. J. A. R. 177.
40.00	Set a post from which, W Oak. 18 in diam. East. 59 lbs dist.
80.00	Set a post for the corner of Sec. 22, 23, 26 & 27 from which, Dogwood 8 in diam. 25 E. 15 lbs dist. to, W Oak. 10 " " 27 N. 29 "
	Land rolling timber Oak & Hick
East	On a Random line between Sec. 26 & 23. J. A. R. 177.
40.00	Set a trip for a post.
80.00	Intersect the A. S. line 12 lbs South of the post cap of Sec. 23 24, 25 & 26. Land is the same.

Comps

J. A. A. R. A. 172nd Mo. Ind.

West	On the line between Sec. 23 & 26. J. A. R. 177.
40.00	Set the trip for a post from which, Gum 8 in diam. 26 E. 11 lbs dist. to, Do. 8 " " 26 N. 15 "
80.00	Set the post corner 22, 23, 26 & 27.
North	Between Sec. 22 & 23. J. A. R. 177.
40.00	Set a post from which, W Oak. 18 in diam. 26 N. 33 lbs dist. to, Dogwood 7 " " 27 E. 36 "
80.00	Set a post for the corner of Sec. 14, 15, 22 & 23 from which, Poplar 20 in diam. 25 E. 8 lbs dist. to, Nick 18 " " 27 N. 31 "
	Land is the same.
East	On a Random line between Sec. 14 & 23. J. A. R. 177.
40.00	Set a trip for a post.
80.00	Intersect the A. S. line 17 lbs South of the post cap of Sec. 13, 14, 23 & 24. Land is the same.
West	On the line between Sec. 14 & 23. J. A. R. 177.
40.00	Set the trip for a post from which, (line line) Gum 10 in diam. 26 N. 15 lbs dist. to, W Oak. 12 " " 27 E. 18 "
80.00	Set the corner of Sec. 14, 15, 22 & 23.
North	Between Sec. 14 & 15. J. A. R. 177.
40.00	Set a post from which, Gum 10 in diam. 31 E. 9 lbs dist. to, W Oak. 12 " " 26 N. 16 "
80.00	Set the post corner of Sec. 10, 11, 14 & 15 from which, Poplar 10 in diam. 21 lbs dist. to,

T. N. 4. N. R. N. 1. W. 2nd Mer. Sud.

	Toplan. 24 in diam. beam. N 56 E. 25 lbs. dist. Sands the same.
East 3.75 40.00 80.00	On a Random line between Sec 11 & 14 T. 4. N. R. 1 W. Loak Brook. 10 in diam. beam, Corner N. Set a timber post for support. Intersect the N 56 line 18 lbs. South of the post on of Sec 11 12 13 & 14. Sands the same.
West 40.00 80.00	On the line between Sec 11 & 14 T. 4. N. R. 1 W. Set the timber post for support on the line from which, Dogwood 8 in diam. beam. S 20 W. 3 lbs. dist. to, Hick 10 " " " N 20 E. 3 " " Set the post on of sec 10. 11. 14 & 15.
North 9.00 21.75 40.00 80.00	Between Sec 11 & 10. T. 4. N. R. 1 W. Loak Brook. 10 lbs. mid, Corner N.W. Loak Brook. 5 " " " W. Set a post support from which, Red Bud. 7 in diam. beam. S 6 E. 36 lbs. dist. to, W. Walnut. 10 " " " N 75 W. 20 " " Set a post for the corner of sec 2, 3 10 & 11. from which, Buck 9 in diam. beam. N 84 E. 43 lbs. dist. to, Hick 20 " " " S 84 W. 36 " " Sands rolling. Timber Oak, Hickory, Poplar, &c.
East 27.50 40.00 1/3 7/2	Between Sec 11 & 13. T. 4. N. R. 1 W. Loak Brook. 10 lbs. mid, Corner N. Set a post support from which, Dogwood 6 in diam. beam. N 38 E. 20 lbs. dist. to, Sugar. 10 " " " S 29 E. 11 " " Set a post on the Left Bank of White River for the corner of frac. Sec 2 & 11. from which,

T. N. 4. N. R. N. 1. W. 2nd Mer. Sud.

	Sugar. 10 in diam. beam. S 29 E. 9 lbs. dist. to, W. Oak. 11 " " " S 28 W. 10 " " Sands the same.
North 16.45 40.00 17.00	Between Sec 2 & 3 T. 4. N. R. 1 W. Loak Brook. 10 in diam. beam in the mid. Set a post support from which, Maple. 9 in diam. beam. S 20 W. 21 lbs. dist. to, Elm. 7 " " " N 18 W. 4 " " Set a post on the Left Bank of White River for the corner of frac. Sec 2 & 3. from which, Buck. 10 in diam. beam. S 85 E. 7 lbs. dist. to, Hick. 20 " " " S 21 W. 38 " " Sands rich and rolling. Timber Poplar, Ash & Sugar.
South 22.50	Between Sec 2 & 3 T. 4. N. R. 1 W. Set a post on the Right Bank of the White River for the corner of frac. Sec 2 & 3.
North 40.00 80.00	Between Sec 33 & 34 T. 4. N. R. 1 W. Set a post support from which, Dogwood 6 in diam. beam. N 10 E. 14 lbs. dist. to, Poplar. 8 " " " N 67 E. 34 " " Set a post for the corner of sec 27, 28 33 & 34 from which, W. Oak. 15 in diam. beam. S 16 E. 25 lbs. dist. to, Hick 10 " " " N 41 W. 15 " " Sands hilly and bushy. Timber Oak, & Hickory.
East 40.00 80.00	On a Random line between Sec 27 & 34 T. 4. N. R. 1 W. Set a timber post support. Intersect the N 15 line at the corner of sec 26, 27, 34 & 35. Sands the same.
West	On the line between Sec 27 & 34 T. 4. N. R. 1 W.

T. N. 4. S. R. N. 1. W. 2. nd Mer. Ind.

40.02	Set the trip. 7 th sup. post in the line from which, Beck. 12 in dia. beam. 1107.12 links dist; 80, W. Oak. 15, " " 886 E. 20, " "
80.05	To the cor. of sec. 27, 28, 33 & 34.
North 40.00	Return Jul. 27 & 28 T. 4. N. R. 1. W. Set a 7 th sup. post from which, W. Oak. 12 in dia. beam. 1177.25 links dist; 80, Elm. 10, " " 116 E. 17, " "
56.95	Set a W. Oak. 10 in dia. beam in the line.
81.00	Set a post for the cor. of sec. 21, 22, 27 & 28 from which, Logwood 6 in dia. beam. 1148 E. 2 links dist; 80, Sum. 7, " " 836 N. 16, " "
	Sand the same.
East 40.00	On a Random line between Jul. 22 & 27 T. 4. N. R. 1. W. Set a trip. 7 th sup. post.
80.10	Intersect the N. 13 line 8 links South of the post cor. Jul. 22, 23, 26 & 27. Sand the same.
West 40.05	On the true line between Jul. 22 & 27 T. 4. N. R. 1. W. Set the trip. 7 th sup. post at the av. dist. on the true line from which a Beck. 18 in dia. beam. 89 E. 9 links dist; 80, Do. 12, " " 987 E. 43, " "
80.10	To the cor. of sec. 21, 22, 27 & 28.
North 40.00	Return Jul. 21 & 22 T. 4. N. R. 1. W. Set a 7 th sup. post from which, Logwood 6 in dia. beam. 821 E. 36 links dist; 80, Poplar. 9, " " 116 N. 34, " "
80.00	Set a post for the cor. of sec. 15, 16, 21 & 22 from which, Beck. 12 in dia. beam. 118 E. 11 links dist;

T. N. 4. S. R. N. 1. W. 2. nd Mer. Ind.

	Beck. 24 in dia. beam. 154 E. 26 links dist; Sand the same.
East 40.00	Return Jul. 13 & 22 T. 4. N. R. 1. W. Set a trip. 7 th sup. post.
80.00	Intersect the N. 13 line 12 links South of the post cor. of sec. 14, 15, 22 & 23. Sand the same.
West 40.00	On the true line between Jul. 13 & 22 T. 4. N. R. 1. W. Set the trip. 7 th sup. post in the true line from which, Beck. 12 in dia. beam. 1187.20 links dist; 80, Sassafras 4, " " 116 E. 17, " "
80.00	To the post cor. of sec. 15, 16, 21 & 22.
North 40.00	Return Jul. 15 & 16 T. 4. N. R. 1. W. Set a 7 th sup. post from which, W. Oak. 10 in dia. beam. 116 E. 11 links dist; 80, Logwood 7, " " 115 E. 19, " "
53.00	Set a W. Oak. 17 in dia. beam in the line.
80.00	Set a post for the cor. of sec. 9, 10, 15 & 16 from which, W. Oak. 12 in dia. beam. 1184 N. 28 links dist; 80, Do. 18, " " 1138 E. 27, " "
	Sand the same.
East 40.00	On a Random line between Jul. 15 & 16 T. 4. N. R. 1. W. Set a trip. 7 th sup. post.
80.00	Intersect the N. 13 line 12 links South of the post cor. Jul. 10, 11, 14 & 15. Sand the same.
West 40.00	On the true line between Jul. 10 & 15 T. 4. N. R. 1. W. Set the trip. 7 th sup. post in the true line at the av. dist. from which, W. Walnut 10 in dia. beam. 873 N. 38 links dist; made a Hickory 8, " " 872 E. 17, " "

T. A. H. R. No 177 Dna Mrs. Ind.

80.00	To the post co of sur 9.10.15 & 16.
North	Return Sur 9 & 10 T. A. H. R. 177.
40.00	Set a 7/8 suppost from which, W Oak 20 in dia: bears N 12 W 21 links dist; & a Dogwood 6 " " S 77 E 6 " "
80.00	Set a post for the co of sur 3.4.9 & 10 from which, Buck 10 in dia: bears S 65 E 26 lks dist; & a Poplar 10 " " N 19 E 24 " " Land very bushy timber Oak & Hickory.
East	On a Random line between Sur 3 & 10 T. A. H. R. 177.
40.00	Set a temp 7/8 suppost
60.00	To a Birch 10 links in dia, Common R.
80.00	Intersect the N 15 line South of the post co of sur 2.3 10 & 11 Land the same.
West	On the true line between Sur 3 & 10 T. A. H. R. 177.
40.00	Set the temp 7/8 suppost at the ar. dist in the true line from which, W Oak 20 in dia: bears N 42 E 9 lks dist under a Gum 9 " " S 57 W 22 " "
80.00	To the post co of sur 3.4.9 & 10.
North	Return Sur 3 & 4 T. A. H. R. 177.
40.00	Set a 7/8 suppost from which, W Oak 20 in dia: bears South 100 lks dist
40.00	To a W Oak 20 in dia: stands in the line.
49.00	Intersect the N 13 line 22 links West of the post co of sur 3.3 & 34 T. A. H. R. 177 and set a post for the co. " " 3 & 4 from which, Mulberry 12 in dia: bears S 86 W 20 lks dist; & a Dogwood 6 " " N 52 E 14 " " Land the same.

T. A. H. R. No 177 Dna Mrs. Ind.

North	Return Sur 3.3 & 33 T. A. H. R. 177.
40.00	Set a 7/8 suppost from which, Gum 10 in dia: bears S 57 W 10 lks dist; & a W Oak 18 " " S 81 E 25 " "
80.00	Set a post for the co of sur 28.29.32 & 33 from which, Hickory 20 in dia: bears N 55 E 3 lks dist; & a Do. 20 " " S 55 W 15 " " Land very bushy & covered with Green briars Timber Oak.
East	On a Random line between Sur 28 & 33 T. A. H. R. 177.
40.00	Set a temp 7/8 suppost
80.00	Intersect the N 15 line 8 links South of the post co. of sur 27.28.33 & 34 Land the same.
West	Return Sur 28 & 33 T. A. H. R. 177 True line.
40.00	Set the temp 7/8 suppost at the ar. dist in the true line from which, Dogwood 6 in dia: bears S 82 W 38 lks dist under a Do. 6 " " S 88 E 12 " "
80.00	To the post co of sur 28.29.32 & 33.
North	Return Sur 28 & 29 T. A. H. R. 177.
39.80	To a W Oak 12 in dia: in the line.
40.00	Set a 7/8 suppost from which, Dogwood 7 in dia: bears S 33 E 12 lks dist; & a W Oak 12 " " S 76 W 14 " "
80.00	Set a post for the co of sur 20.21.28 & 29 from which, W Walnut 7 in dia: bears S 78 E 29 lks dist; & a Sugar 7 " " N 24 E 10 " " Land the same.
East	On a Random line between Sur 21 & 28 T. A. H. R. 177.
40.00	Set a temp 7/8 suppost

T. N. 4. S. R. N. 177 Quad. Min. Ind.

80.19	Intersect the N 13 line 12 miles North of the post co. of sec 21 22 23 24. Same as the same.
West	On the line between Sec 21 22 23 24 N. 177.
4000	Set the trip. 1/2 a post on the line at the ar dist from which, Sugar 10 in dist. from. N 34 E. 18 miles dist. under N 177. 1/2 a post. N 63 W. 7 1/2 a post.
80.19	To the co of sec 20 21 28 29.
North	Between Sec 20 21 22 23 N. 177.
4000	Set a 1/2 a post from which, N 13 E. 12 miles dist. 8 a Dogwood Co. " " N 42 W. 28 " "
80.00	Set a post for the co of sec 16 17 20 21 from which, N 38 W. 29 the dist; to N 13 E. 18 " " " " N 32 E. 19 " "
	Same as the same.
East	On a random line between Sec 16 21 24 N. 177.
4000	Set a trip. 1/2 a post.
80.15	Intersect the N 13 line 20 miles South of the post co of sec 15 16 21 22. Same as the same.
West	On the line between Sec 16 21 24 N. 177.
4000	Set the trip. 1/2 a post at the ar dist on the line from which, Dogwood 7 in dist. from. N 87 W. 32 the dist. under N 13 E. 19 " "
80.15	To the post co of sec 16 21 20 21.
North	Between Sec 16 21 24 N. 177.
35.47	To a mark 20 in dist. from the line.
4000	Set a 1/2 a post from which, Dogwood 7 in dist. from. N 89 E. 16 miles dist. to,

T. N. 4. S. R. N. 177 Quad. Min. Ind.

80.00	Logwood 7 in dist. from. N 55 W. 24 miles dist. Set a post for the co of sec 8 9 16 17 from which, N 13 E. 18 in dist. from. N 68 E. 24 miles dist. to, Sugar 10 " " N 59 W. 38 " "
East	On a random line between Sec 9 16 24 N. 177.
4000	Set a trip. 1/2 a post.
79.90	Intersect the N 13 line 12 miles North of the post co of Sec 9 10 15 16. Same as the same.
West	On the line between Sec 9 16 24 N. 177.
39.95	Set the trip. 1/2 a post at the ar dist on the line from which, Poplar 12 in dist. from. N 40 W. 12 the dist. under N 13 E. 18 " " " " N 46 W. 15 " "
79.90	To the co of sec 8 9 16 17.
North	Between Sec 8 9 16 17 N. 177.
19.20	To a Poplar 30 in dist.
4000	Set a 1/2 a post from which, N 13 E. 20 in dist. from. N 63 W. 17 the dist; to, Dogwood 7 " " " " N 42 E. 12 " "
80.00	Set a post for the co of sec 4 5 8 9 from which, Sugar 10 in dist. from. N 45 E. 17 the dist; to, N 13 E. 18 " " " " N 45 W. 14 " "
	Same as the same.
East	On a random line between Sec 4 9 16 17 N. 177.
4000	Set a trip. 1/2 a post.
80.00	Intersect the N 13 line 8 miles South of the post co of sec 3 4 9 10. Same as the same.
West	On the line between Sec 4 9 16 17 N. 177.

T. N. H. A. R. N. 1792^d Mm. Ind.

West
40.00 Return Jul 19 1830 T. H. A. R. 179.
Set a post from which,
W. Oak 12 in dia. beam A 83 N. 12 links dist, &c,
Buck 10 " " " S 43 N. 28 " "
84.67 Intersect the West Boundary 98 links North of the post
cor of Jul 24 1835. T. H. A. R. 277. and set a post for
" " " 19830 Gum which,
Buck 12 in dia. beam S 30 E. 24 links dist, &c,
Dogwood 6 " " S 69 N. 21 " "
Lands rolling Timber Buck, Poplar, Hickory &c.

North
40.00 Return Jul 19 1830 T. H. A. R. 179.
Set a post from which,
Buck 20 in dia. beam A 58 E. 19 links dist, &c,
Dogwood 6 " " S 44 N. 7 " "
80.00 Set a post for the cor of Jul 17 18 19 20 from which,
Dogwood 6 in dia. beam S 80 N. 5 links dist, &c,
Gum. 10 " " " S 11 E. 3 " "
Lands rolling rich

East
40.00 On a Random line between Jul 17 1830 T. H. A. R. 179.
Set a timber post for support.
80.10 Intersect the A 13 line 8 links North of the post cor of
Jul No. 17 20 21. Land the same.

West
40.05 On the true line between Jul 17 1830 T. H. A. R. 179.
Set the timber post for support at the ar. dist on the true line
from which, Poplar 8 in dia. beam S 64 N. 26 links dist,
mudow Dogwood 6 " " A 74 E. 27 " "
80.10 To the post cor of Jul 17 18 19 20.

West
37.40 Return Jul 18 19 T. H. A. R. 179.
To a sugar. 12 in dia. in the line.

T. N. H. A. R. N. 1792^d Mm. Ind.

40.00 Set a post from which,
Buck 10 in dia. beam S 44 N. 8 links dist, &c,
Gum. 18 " " " S 22 E. 28 " "
84.60 Intersect the West Boundary 100 links North of the post
cor of Jul 13 1834. T. H. A. R. 277 and set a post for the
" " " 18 19 from which,
Buck 12 in dia. beam S 23 E. 24 links dist, &c,
Sugar. 12 " " " S 10 E. 50 " "
Lands rich and rolling.

North
40.00 Return Jul 17 18 T. H. A. R. 179.
Set a post from which,
Buck 30 in dia. beam A 5 E. 19 links dist, &c,
Do. 18 " " " A 75 E. 33 " "
80.00 Set a post for the cor of Jul 7 8 17 18 from which,
Buck 10 in dia. beam A 71 E. 23 links dist, &c,
Poplar 10 " " " S 11 N. 14 " "
Lands rich and rolling Timber Buck, Poplar &
Many sink holes.

East
40.00 On a Random line between Jul 8 17 18 T. H. A. R. 179.
Set a timber post for support.
80.00 Intersect the A 13 line 10 links North of the post cor of
Jul 8 9 16 17. Land the same.

West
40.00 On the true line between Jul 8 17 18 T. H. A. R. 179.
Set the timber post for support at the ar. dist on the true line from
which, Buck 8 in dia. beam A 73 E. 23 links dist,
Do. 12 " " " A 77 N. 26 " "
80.00 To the post cor of Jul 7 8 17 18.

West
40.00 Return Jul 7 18 T. H. A. R. 179.
Set a post from which,

S. A. 4. N. R. A. 177 2nd Mm. Sud.

upstream on the Right Bank.

S49 E. 3.00

S51 E. 12.50

S28 E. 11.50

S31 E. 6.00

S35 E. 18.50

S28 E. 16.00

S21 E. 8.00

S39 E. 4.50

S32 E. 7.50 To the line between Sec 6 & 7. S. 4. N. R. 177.

S61 E. 16.00

S73 E. 8.00

S82 E. 16.00

East 4.05 To the line between Sec 7 & 8. S. 4. N. R. 177.

N83 E. 13.00

N60 E. 9.50

N54 E. 8.67 To the line between Sec 8 & 9. S. 4. N. R. 177.

N37 E. 10.00

N21 E. 10.50

N11 E. 13.00

N18 E. 17.00

N16 E. 6.00

N11 E. 19.50

N11 W. 8.32 To the post in the North Boundary of Sec. 5. S. 4. N. R. 177.

*From post in the N. Boundary of Sec. 3. S. 4. N. R. 177
thence up stream on Right Bank.*

S26 E. 8.00

S32 E. 15.50

In Sec. 6.

In Sec. 7.

In Sec. 5.

S. A. 4. N. R. A. 177 2nd Mm. Sud.

S48 E. 9.50

S76 E. 6.50

S79 E. 9.00

N70 E. 7.00

N79 E. 3.60 To the line between Sec. 2 & 3. S. 4. N. R. 177.

N72 E. 7.50

N80 E. 6.50

N77 E. 11.00

N83 E. 10.50

S89 E. 4.00

S80 E. 6.00

S72 E. 9.50

S47 E. 6.00

S29 E. 6.00

S22 E. 11.30 To a Buck 25 lbs. and

S22 E. 11.30

S29 E. 18.90 To the line between Sec. 1 & 2. S. 4. N. R. 177.

S40 E. 10.00

S51 E. 14.50

S60 E. 10.00

S70 E. 12.50

S76 E. 14.50

N53 E. 7.50

N30 E. 9.00

N27 E. 10.00

N33 E. 14.00

N42 E. 8.70 To the post in the East Boundary of S. 4. N. R. 177.

*Meanders of the Left Bank of the East Fork
of White River. Commencing at the Lye-corn on the
Range line between Ranges 1 & 2 N. W. B. Sec. 6.*

In Sec. 3.

In Sec. 2.

In Sec. 12.

T. A. R. A. 177th 2nd Mer. Ind.

From upstream	
130 E.	23.50
136 E.	19.00 In Lu. 6.
124 E.	20.00 To the line between Sec 6 & 7 T. 4 N. R. 1 W.
156 E.	27.00
169 E.	17.20 In Lu. 7.
189 E.	11.20 To the line between Sec 7 & 8 T. 4 N. R. 1 W.
189 E.	12.00
158 E.	14.30 In Lu. 8.
144 E.	17.00 To the line between Sec 8 & 9 T. 4 N. R. 1 W.
121 E.	22.30
144 E.	18.30 In Lu. 5.
110 W.	13.50 To the post in the N. Boundary of Lu. 5 T. 4 N. R. 1 W.
From the Post in the North Boundary of Lu. 3 T. 4 N. R. 1 W. thence	
134 E.	36.00 in Lu. 3 To a Brook. 25th mile.
167 E.	16.00
178 E.	18.50 To the line between Sec 2 & 3 T. 4 N. R. 1 W.
181 E.	14.50
123 E.	31.00
135 E.	16.50 To the line between Sec 12 & 13 The intersection of the line between Sec 2 & 11 Omitted
156 E.	27.50
175 E.	33.50 In Lu. 12 T. 4 N. R. 1 W.
147 E.	17.00
123 E.	22.00

T. 4 N. R. A. 177th 2nd Mer. Ind.145 E. 5.20 To the cor on the 2nd Principal Meridian

Surveyed by
Arthur Henric.
Lept. Surg.

Completed,

I certify that the foregoing Transcript of the field notes of Township N. 4. North of Range N. 1 West of the 2nd Principal Meridian, Indiana, has been compared with the Original notes in this Office and found to be correct.

Surveyor General's Office,
Cincinnati Oct. 13 1841

Sur. General.